# WARNING KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# SPRAY INSECTICIDE

For control of mosquitoes and cockroaches in various settings as per the Directions for Use table.

A Suspension Concentrate formulation for Professional Pest Control Use Only.

ACTIVE CONSTITUENTS:

ENSYSTE KAUSTRALASIA PTY LTD ABU 53 102 221 965 Unit 3 The Junction Estate 4-6 Junction Street Auburn NSW 2144 % w/v DELTAMETHRIN % w/v TETRAMETHRIN-R 25:75 % w/v PIPERONYL BUTOXIDE

FDA Registration Number HSR-8172

Registered and Imported by: NOVICIDE INC 2410 HEN BELARMINO STREET BANGKAL MAKATI CITY PHONE 88452848



Warning: Harmful if swallowed. May be harmful if contact with skin. May be harmful if inhaled. Very toxic to aquatic life





## DIRECTIONS FOR USE

SETTINGS	PESTS	TREATMENT RATE	CRITICAL COMMENTS
Houses, flats, factories, shops, warehouses,	americana)		Apply not exceeding the point of run-off. Apply to skirting boards, floors and carpets, cupboards, behind sinks, stoves and pipes. Pay particular attention to cracks and crevices. Also treat exposed areas where insects are seen, and known hiding places.
restaurants, hospitals, hotels, kitchens	Mosquitoes (Aedes aegypti)	10 - 15 mL / 1 L water	Apply to all exposed surfaces where mosquitoes may rest.

#### MIXING

Add the required quantity of DELTATHOR PLUS to water in the spray tank and mix thoroughly. Maintain agitation during both mixing and application.

#### APPLICATION DETAILS

Application rate: 10 mL of diluted solution per m2 and frequency of application: 1 month.

Urban Pest Management and Vector Control: DELTATHOR PLUS Insecticide is a knockdown and residual pesticide. Pests are controlled by direct contact with the spray and also by the residual action as they come into contact with treated surfaces.

#### APPLICATION

DELTATHOR PLUS can be applied by a variety of application techniques, such as power sprayers, hand-held pump sprayers or backpack sprayers.

#### PRECAUTIONS

DO NOT spray directly on humans, pets or animals. Avoid contact with food, food utensils or preparation surfaces. Wash hand thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED, ON SKIN\_GEN WHALED: CALL A POISON CENTRE/doctor fyou feat unveil. Avoid release to the environment.

#### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Dangerous to fish and aquatic organisms. Do not contaminate dams, rivers at reams, anterways organisms with pools to or the used container. Drift from treated areas may be haardous to organisms in adjuent aquited tess. But intercaution must be used to avoid aquatic contamination. Avoid spraying flowers that attract and temporates.

#### PROTECTION OF PETS AND LIVESTOCK

Before spraying, remove anim d pets from he tre open food and v Cover or remove fish ponds s etc. befor unti as dried STOR/ AGE AND D Sto closed ori hildren, animals, food and feedstuffs. Do e for prolonged peri n dire ۵r tal Spill: In case of spilled product with absorbent material such as sand, clav llow c ins, creeks or any other waterways. Dispo oral ssure rinse ers before disposal. Add rinsings to spray tank. Do not dispose of undiluted

chemicals on site. These of contents/container to local authority landfill in accordance with local/regional/national/international, regulations. If rec our replanse pand return clean containers to recycler or designated collection point. If not recycling, break, cush committee of bury empty containers in a local authority indifill. If no landfill is available, bury the containers below 500

crush constructions of bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a conserver is specifically marked and set up for this purpose dear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Do not bury wast or surplus product. Dispose of diluted surplus product or undiluted waste by dilution and use according to Directions for Use table. Do not re-use empty container.

Known incompatibilities: Acids, bases oxidising agents.

#### Signs and Symptoms of Poisoning:

Skin contact: This product may cause temporary skin numbness. Product may be irritating but is unlikely to cause anything more than mild transient discomfort. Eye Contact: Product may be irritating to eyes but is unlikely to cause anything more than mild transient discomfort.

#### SAFETY DIRECTIONS

And croater with reys and size, investigator. This product should only be used in a well-venitated area, if natural venitation is indecapate, use of a form is suggested, by Province/In Protocher globarge (Schler and Weiter resistant forkners, Male sure that a fails in ease at concerning the light on the product to inlinity to cause mittainion fail must area and produce that a fails interest as concerning the sum of the following methods in the sum of the following methods in the sum of the following methods when and continuum of the sum of the



#### TY DATA SHEET

systex.com.ph

#### NOTICE:

Ensystex Australasia Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under of Habel uses on endored by Ensystex, or under abnormal conditions.

Batch No.:



Date of Manufacture:

# Expiry date:

5 years from date of manufacture

### <sup>®</sup> Registered trademark of Ensystex, Inc. used under licence

# L-PH-CHEDP1006 3.01 03.21 T